# DATA SUPPORT BRANCH

Fiscal Year 2002

Deborah Merrill, Branch Head

# NORTH CAROLINA AREA PROGRAMS ANNUAL ADMISSION REPORT



prepared by: Jeannette Barham

North Carolina
Division of Mental Health,
Developmental Disabilities and Substance Abuse Services

TITLE:

North Carolina Area Programs

Annual Admission Report

Fiscal Year 2002

**NUMBER OF PAGES** 

14

**OFFICE OF PRIMARY RESPONSIBILITY:** 

Data Operations Branch Information Technology Division of Mental Health, Developmental Disabilities and Substance Abuse Services 3019 Mail Service Center

Raleigh, North Carolina 27699-3019

(919) 733-4460

PRINCIPAL AUTHOR OR COMPILER:

Jeannette Barham

Computer Production Specialist

Bill Satterfield

Analyst Programmer DMH/DD/SAS

**TYPED BY:** 

Jeannette Barham and Bill Satterfield

DMH/DD/SAS

**PUBLICATION COST:** 50 copies of this document were printed at a cost of \$ .60 per copy.

**PUBLICATION DATE:** January, 2003

# **PREFACE**

This is the 2001-02 fiscal year report on the characteristics of all admissions to North Carolina's 39 Area Programs. Data are grouped by client admissions or by each of the four regions, with the exception of Table III that is presented by area.

The characteristics included are: diagnostic category, type admission, age, sex, race, marital status, source of referral, employment status, income and education. Also, included is one table with selected characteristics for all terminations; in particular, diagnostic category, race, age and sex. The report will provide a baseline of data for the review of trends and patterns (see figure 1) in admissions among regions and for the state as a whole.

#### INTRODUCTION

This report summarizes characteristics of all admissions to North Carolina's 39 Area Programs for the fiscal year 2001-2002. Information provided in the report is based on client data submitted to the Division's Data Operations. The data is stored in the Division of Mental Health, Developmental Disabilities and Substance Abuse Service's Client Data Warehouse (CDW).

Table I through Table III depicts characteristics for the 87,857 total admissions during fiscal year 2001-02. For more detailed statistics refer to the Annual Statistics Reports, Area Programs, Fiscal Year 2001-2002.

Table IV depicts selected characteristics for the 86,607 discharges which occurred during fiscal year 2001-2002. This table is included to allow comparisons between diagnosis at admission and termination.

FIGURE 1
SELECTED CHARACTERISTICS OF ADMISSIONS AND PERCENT CHANGE OVER TIME
STATE TOTAL FISCAL YEAR 1997-98, 1998-99, 1999-00, 2000-01, 2000-02

|                         |         |         |        |        |          |          | PERCENT        |                    |
|-------------------------|---------|---------|--------|--------|----------|----------|----------------|--------------------|
|                         |         |         |        |        |          | FY02 vs. | FY02 vs.       | FY01 vs.           |
| CHARACTERISTICS         | FY98    | FY99    | FY00   | FY01   | FY02     | FY01     | FY00           | FY98               |
| TOTAL ADMISSIONS        | 112,101 | 105,981 | 86,707 | 87,474 | 87,857   | 0.4%     | 1.3%           | -21.6%             |
| BY DIACNOSIS            | ĺ       |         |        |        |          |          |                |                    |
| BY DIAGNOSIS<br>ALCOHOL | 21,852  | 19,938  | 13,422 | 13,430 | 13,846   | 3.1%     | 3.2%           | -36.6%             |
| ALCOHOL                 | 21,002  | 19,930  | 10,722 | 13,430 | 10,040   | 3.170    | 5.2 //         | -30.070            |
| DRUG                    | 19,735  | 19,079  | 12,942 | 13,210 | 14,530   | 10.0%    | 12.3%          | -26.4%             |
|                         |         | ·       |        |        |          |          |                |                    |
| MENTAL RETARDATION      | 1,412   | 1,258   | 830    | 745    | 759      | 1.9%     | -8.6%          | <del>-4</del> 6.2% |
|                         | F7 400  | 50.050  | 44.000 | 40.740 | FO 400   | 40.00/   | 07.00/         | 0.00/              |
| MENTALLY ILL            | 57,433  | 53,359  | 41,223 | 43,746 | 52,469   | 19.9%    | 27.3%          | -8.6%              |
| NO MENTAL DISORDER      | 429     | 438     | 166    | 90     | 117      | 30.0%    | -29.5%         | -72.7%             |
| NO MENTAL BIOOKBER      | ,20     | 100     | ,,,,   |        |          | 00.070   | 20.070         |                    |
| UNKNOWN-DEFERRED        | 11,240  | 11,909  | 18,124 | 16,253 | 6,136    | -62.2%   | <i>-</i> 66.1% | -45.4%             |
|                         |         |         |        |        |          |          |                |                    |
| BY SEX                  |         |         |        |        |          |          |                | <b> </b>           |
| MALE                    | 65,161  | 61,803  | 49,679 | 49,521 | 49,077   | -0.9%    | -1.2%          | -24.7%             |
| FEMALE                  | 46,940  | 44,178  | 36,228 | 37,953 | 38,763   | 2.1%     | 7.0%           | -17.4%             |
| PEWALE                  | 40,940  | 44,170  | 30,220 | 37,953 | 30,703   | 2.170    | 7.070          | -17.470            |
|                         |         |         |        |        |          |          |                |                    |
| BY RACE                 |         |         |        |        |          |          |                |                    |
| WHITE                   | 66,341  | 62,520  | 52,201 | 52,993 | 54,714   | 3.2%     | 4.8%           | -17.5%             |
|                         |         |         |        |        |          |          |                |                    |
| BLACK                   | 42,484  | 39,925  | 27,782 | 28,475 | 28,233   | -0.8%    | 1.6%           | -33.5%             |
| AMERICAN INDIAN         | 1,518   | 1,662   | 1,025  | 1,379  | 1,179    | -14.5%   | 15.0%          | -22.3%             |
| AMERICAN INDIAN         | 1,516   | 1,002   | 1,020  | 1,575  | 1,179    | -14.570  | . 13.070       | -22.570            |
| OTHER                   | 777     | 1,034   | 2,517  | 2,603  | 3,116    | 19.7%    | 23.8%          | 301.0%             |
|                         |         | ·       | ·      |        |          |          |                |                    |
| ASIAN/PACIFIC ISLANDER  | 250     | 232     | 273    | 251    | 255      | 1.6%     | -6.6%          | 2.0%               |
| LINUZNIOVACNI           | 724     | 606     | 2,000  | 1 773  | 260      | 70.79/   | -87.6%         | -50.8%             |
| UNKNOWN                 | 731     | 608     | 2,909  | 1,773  | 360      | -79.7%   | -01.0%         | -50.6%             |
|                         |         |         | L      |        | <u> </u> |          |                | L                  |

FIGURE 1A
AGE CHARACTERISTICS OF ADMISSIONS AND PERCENT CHANGE OVER TIME
STATE TOTAL FISCAL YEAR 1997-98, 1998-99, 1999-00, 2000-01, 2001-02

|                   |         |         |        |        |        | PERCENT  |          |               |
|-------------------|---------|---------|--------|--------|--------|----------|----------|---------------|
| OLIADA OTERIOTIOS | E7/00   | F)/00   | E)/00  | E)/04  | E)/00  | FY02 vs. | FY02 vs. | FY01 vs.      |
| CHARACTERISTICS   | FY98    | FY99    | FY00   | FY01   | FY02   | FY01     | FY01     | FY98          |
| TOTAL ADMISSIONS  | 112,101 | 105,981 | 86,707 | 87,474 | 87,857 | 0.4%     | 1.3%     | -21.6%        |
|                   |         |         |        |        |        |          |          |               |
| BY AGE            |         |         |        |        | ,      |          |          |               |
| 00-04             | 6,309   | 6,448   | 3,831  | 4,354  | 4,658  | 7.0%     | 21.6%    | -26.2%        |
| 05-09             | 9,525   | 8,989   | 5,702  | 6,227  | 6,399  | 2.8%     | 12.2%    | -32.8%        |
| 10-14             | 10,935  | 10,071  | 7,951  | 8,491  | 8,314  | -2.1%    | 4.6%     | -24.0%        |
| 15-17             | 7,500   | 6,866   | 6,431  | 6,700  | 6,905  | 3.1%     | 7.4%     | -7.9%         |
| 18-20             | 5,035   | 5,152   | 4,633  | 4,283  | 4,421  | 3.2%     | -4.6%    | -12.2%        |
| 21-24             | 7,419   | 7,134   | 6,325  | 6,535  | 6,892  | 5.5%     | 9.0%     | <i>-</i> 7.1% |
| 25-34             | 24,908  | 22,861  | 17,043 | 16,852 | 16,992 | 0.8%     | -0.3%    | -31.8%        |
| 35-44             | 23,615  | 22,734  | 18,731 | 18,440 | 17,746 | -3.8%    | -5.3%    | -24.9%        |
| 45-54             | 10,359  | 9,864   | 10,212 | 10,012 | 10,248 | 2.4%     | 0.4%     | -1.1%         |
| 55-64             | 3,654   | 3,307   | 3,482  | 3,264  | 3,329  | 2.0%     | -4.4%    | -8.9%         |
| 65 AND OVER       | 2,842   | 2,555   | 2,366  | 2,316  | 1,953  | -15.7%   | -17.5%   | -31.3%        |

3A

### TABLE I

The data reflected in this table included admissions by diagnosis, type of admission and marital status. The aggregate groupings of diagnosis are based on the DSM IV, Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, (American Psychiatric Association, 1994).

Of the diagnosis reported at the time of admission, alcohol abuse accounted for the largest group (15.7%). However, when looking at Psychiatric Diagnosis only, which represented 45.5% percent of all diagnosis, major depressive disorders (15.1%) accounted for the most frequent diagnosis. Clients diagnosed with mental retardation accounted for less than one percent (0.9%) of all admissions while drug abuse (exclusion of alcohol) accounted for 16.5 percent.

In the marital category the largest group are those who are single, representing 62.0 percent of all admissions. This is fairly consistent across all regions.

TABLE I TOTAL ADMISSIONS BY DIAGNOSTIC CATEGORY, TYPE ADMISSION & MARITAL STATUS NORTH CAROLINA'S 39 AREA PROGRAMS BY REGION, FY2001-02

|                                    |                |                  |                 | ***       |           |            |
|------------------------------------|----------------|------------------|-----------------|-----------|-----------|------------|
|                                    | TOTAL          |                  | ]               | NORTH     | SOUTH     |            |
|                                    | *PERCENT       | NUMBER           | WESTERN         | CENTRAL   | CENTRAL   | EASTERN    |
|                                    |                |                  |                 |           |           |            |
| TOTAL ADMICCIONS                   | 100.0%         | 87,857           | 28,085          | 21,891    | 17,847    | 20,034     |
| TOTAL ADMISSIONS                   | 100.0%         | 67,657           | 20,000          | 21,051    | 17,047    | 20,034     |
| DIAGNOSTIC CATEGORY **             |                |                  |                 |           |           |            |
| MENTAL RETARDATION                 | 0.9%           | 759              | 204             | 203       | 139       | 213        |
| ATTENTION DEFICIT                  | 4.1%           | 3,622            | 1,092           | 776       | 731       | 1,023      |
| CONDUCT                            | 5.3%           | 4,677            | 1,639           | 1,047     | 791       | 1,200      |
| AUTISM & PERVASIVE DEV.            | 0.3%           | 239              | 47              | 56        | 74        | 62         |
| SPECIFIC DEVELOPMENT               | 1.0%           | 892              | 406             | 244       | 92        | 150        |
| OTHER CHILDHOOD DISORDERS          | 3.5%           | 3,066            | 441             | 620       | 1,094     | 911        |
| EATING AND SLEEPING DISORDERS      | 0.1%           | 78               | 33              | 23        | 11        | 11         |
| MEDICIATION INDUCED                | 0.0%           | 5                | 0               | 1         | 0         | 4          |
| PRIMARY DEGENERATIVE DEMENTIA      | 0.2%           | 145              | 21              | 56        | 32        | 36         |
| VASCULAR DEMENTIA                  | 0.1%           | 117              | 35              | 44        | 9         | 29         |
| SUBSTANCE ABUSE (DRUGS)            | 16.5%          | 14,530           | 4,467           | 3,980     | 3,199     | 2,884      |
| ALCOHOL ABUSE                      | 15.3%          | 13,474           | 3,706           | 3,341     | 2,779     | 3,648      |
| ALCOHOL RELATED ORGANIC            | 0.4%           | 372              | 173             | 44        | 123       | 32         |
| OTHER MENTAL DISORDERS             | 0.6%           | 554              | 182             | 113       | 118       | 141<br>362 |
| SCHIZOPHRENIC                      | 1.4%           | 1,238            | 342             | 264       | 270<br>16 | 502        |
| SCHIZOPHRENIFORM                   | 0.1%           | 46               | 9               | 16        | 16<br>189 | 149        |
| SCHIZOAFFECTIVE                    | 0.8%           | 674              | 188             | 148<br>31 | 31        | 26         |
| DELUSIONAL                         | 0.1%           | 113              | 25              | 246       | 234       | 250        |
| OTHER PSYCHOTIC                    | 1.1%           | 1,009            | 279<br>950      | 660       | 630       | 597        |
| BIPOLAR                            | 3.2%           | 2,837            | 4,270           | 3,150     | 2,868     | 2,985      |
| MAJOR DEPRESSIVE                   | 15.1%<br>2.0%  | 13,273<br>1,744  | 4,270           | 3,130     | 393       | 552        |
| DYSTHYMIA                          | 5.1%           | 4,471            | 1,548           | 1,095     | 803       | 1,025      |
| ANXIETY                            | 0.1%           | 66               | 1,548           | 1,033     | 21        | 16         |
| SOMATOFORM/FACTITIOUS DISSOCIATIVE | 0.1%           | 18               | 7               | 4         | 3         | '4         |
| SEXUAL                             | 0.0%           | 124              | 39              | 21        | 30        | 34         |
| PERSONALITY & OTHER IMPULSES       | 1.1%           | 980              | 327             | 229       | 134       | 290        |
| ADJUSTMENT                         | 9.4%           | 8,280            | 2,837           | 2,081     | 1,626     | 1,736      |
| OTHER NONPSYCHOTIC/MENTAL          | 0.8%           | 740              | 331             | 175       | 123       | 111        |
| OTHER PROBLEMS NOT MENTAL          | 3.7%           | 3,281            | 760             | 1,187     | 583       | 751        |
| NO MENTAL DISORDER                 | 0.1%           | 117              | 38              | 58        | 6         | 15         |
| DIAGNOSIS DEFERRED                 | 0.2%           | 180              | 20              | 118       | 15        | 27         |
| UNKNOWN                            | 7.0%           | 6,136            | 3,174           | 1,527     | 680       | 755        |
|                                    |                | ·                |                 |           |           | ļ          |
|                                    |                |                  |                 |           |           |            |
| MARITAL STATUS                     | 62.00/         | E4 479           | 17 206          | 13,802    | 11,139    | 12,326     |
| SINGLE                             | 62.0%          | 54,473<br>13,989 | 17,206<br>4,476 | 3,314     | 2,919     | 3,280      |
| MARRIED                            | 15.9%<br>11.0% | 9,626            | 3,336           | 2,313     | 1,863     | 2,114      |
| DIVORCED                           | 0.3%           | 9,626<br>275     | 3,336           | 2,313     | 1,003     | 10         |
| ANNULLED DOMESTIC PARTNER          | 0.3%           | 150              | 52              | 11        | 43        | 44         |
| SEPARATED .                        | 8.0%           | 6,996            | 2,269           | 1,606     | 1,446     | 1,675      |
| WIDOWED                            | 2.1%           | 1,876            | 554             | 433       | 403       | 486        |
| UNKNOWN                            | 0.5%           | 472              | 147             | 197       | 29        | 99         |
|                                    |                |                  |                 | <u> </u>  |           |            |

<sup>\*</sup>TOTALS DO NOT ALWAYS EQUAL 100 % DUE TO ROUNDING \*\* DERIVED FROM DSM-IV CODING

#### **TABLE II**

The data in this table reflects admission characteristics by race, sex and age categories.

Males represented a majority of the total admissions (56%) with females representing 44 percent of the total admissions. This indicates that females are somewhat under represented since they accounted for 51.0 percent of the total population in the 2001 census. Males accounted for the majority of the total admissions across the four regions.

When looking at race categories during FY02 non-white admissions numbered 32,783 or 37.2 percent of the total reported. Of the non-white admissions reported 1.3 percent were American Indian.

The age group composition of area program admissions reflects that 19.3 percent fell within the 25 to 34 age group. When admissions are grouped by the three major age groups, 30 percent were 0-17, 67.8 percent were between 18-64 and 2.2 percent were 65 years and older.

According to the 2002 Census, the age distribution for the State population as a whole was children 24.4 percent, adult 63.6 percent and the elderly 12.0 percent.

TABLE II TOTAL ADMISSIONS BY RACE, SEX AND AGE NORTH CAROLINA'S 39 AREA PROGRAMS BY REGION, FY2001-02

|   | TO*   | TAL<br>NUMBER  | WESTERN   | NORTH<br>CENTRAL  | SOUTH<br>CENTRAL  | EASTERN   |
|---|---|--|---|---|---|---|
| TOTAL ADMISSIONS  | 100.0%  | 87,857   | 28,085  | 21,891  | 17,847  | 20,034  |
| RACE  | :   |  |   |   |   | }<br>}  |
| WHITE BLACK AMERICAN INDIAN ASIAN/PACIFIC ISLANDER OTHER UNKNOWN  SEX MALE FEMALE                     | 62.3%<br>32.1%<br>1.3%<br>0.3%<br>3.5%<br>0.4%<br>55.9%<br>44.1%                        | 54,714<br>28,233<br>1,179<br>255<br>3,116<br>360<br>49,077<br>38,763                               | 21,034<br>6,032<br>214<br>81<br>556<br>168<br>15,444<br>12,638                                | 12,857<br>7,699<br>70<br>72<br>1,046<br>147<br>12,343<br>9,534                            | 10,247<br>5,945<br>749<br>66<br>823<br>17<br>9,925<br>7,922                               | 10,576<br>8,557<br>146<br>36<br>691<br>28<br>11,365<br>8,669                              |
| UNKNOWN   | 0.0%  | 17   | 3   | 14  | 0   | 0   |
| 00-04<br>05-09<br>10-14<br>15-17<br>18-20<br>21-24<br>25-34<br>35-44<br>45-54<br>55-64<br>65 AND OVER | 5.3%<br>7.3%<br>9.5%<br>7.9%<br>5.0%<br>7.8%<br>19.3%<br>20.2%<br>11.7%<br>3.8%<br>2.2% | 4,658<br>6,399<br>8,314<br>6,905<br>4,421<br>6,892<br>16,992<br>17,746<br>10,248<br>3,329<br>1,953 | 1,281<br>1,937<br>2,789<br>2,342<br>1,447<br>2,162<br>5,482<br>5,777<br>3,225<br>1,114<br>529 | 981<br>1,961<br>1,971<br>1,582<br>1,088<br>1,791<br>4,340<br>4,403<br>2,467<br>755<br>552 | 1,265<br>1,092<br>1,622<br>1,518<br>913<br>1,360<br>3,478<br>3,561<br>2,009<br>636<br>393 | 1,131<br>1,409<br>1,932<br>1,463<br>973<br>1,579<br>3,692<br>4,005<br>2,547<br>824<br>479 |

<sup>\*</sup>TOTALS DO NOT ALWAYS EQUAL 100 % DUE TO ROUNDING

Figure 3 indicates that children ages 0-17 have the highest admission rate (1,290) per 100,000 child population) with adults second (977) per 100,000 adult population).

\*ADMISSION RATES PER 100,000 POPULATION
BY AGE GROUP BY REGION, FY2001-02

| REGION    | TOTAL | CHILDREN<br>(0-17) | ADULT<br>(18-65) |
|-----------|-------|--------------------|------------------|
| WESTERN   | 1,259 | 1,259              | 938              |
| N.CENTRAL | 1,406 | 1,406              | 1,048            |
| S.CENTRAL | 1,051 | 828                | 886              |
| EASTERN   | 1,528 | 1,141              | 1,233            |
| STATE     | 1,290 | 977                | 1,054            |

<sup>\*</sup> Admission Rate = ( Admissions/Population) x 100,000

#### TABLE III

The data presented in Table III reflect admissions by Area Program by each disability/age group. Table III was added to the Admissions Characteristics Report because of the need for a quick reference for data by disability and age group for specific Area Programs.

Sixty-six percent (57,591) of all admissions were mental health, 2 percent (1,890) were developmentally disabled and 32 percent (28,376) were substance abuse clients. The Western Region accounted for 32 percent (28,085) of admissions. The remaining regions each average approximately 23 percent of admissions per region. The North Central Region accounted for 25 percent (21,891), the South Central Region 20 percent (17,847), and the Eastern Region accounted for 23 percent (20,034). Among Area Programs, Guilford had the greatest number of admissions (5,784) and Riverstone has the fewest admissions (644).

TABLE III

NUMBER OF ADMISSIONS BY AGE DISABILITY

NORTH CAROLINA'S 39 AREA PROGRAMS

BY REGION, FY2001-02

|                  | TOTAL  | ME     | NTALLY IL   | L      | DEVELOPM | ENTAL DIS | ABILITIES | SUBS       | STANCE AB | ÜSE        |
|------------------|--------|--------|-------------|--------|----------|-----------|-----------|------------|-----------|------------|
| AREA PROGRAM     | ADMS.  | TOTAL  | ADULT       | CHILD  | TOTAL    | ADULT     | CHILD     | TOTAL      | ADULT     | CHILD      |
| Western Region   |        |        |             |        | :        |           |           |            |           |            |
|                  | 3,698  | 1,746  | 668         | 1,078  | 207      | 160       | 47        | 1,745      | 138       | 1,607      |
| Blue Ridge       |        |        | 636         | 996    | 207      | 7         | 13        | 973        | 69        | 904        |
| Catawba          | 2,625  | 1,632  |             | 714    | 17       | 7         | 10        | 973<br>375 | 16        | 359        |
| Foothills        | 1,417  | 1,025  | 311         |        |          | 251       | 39        |            | 63        | 1,347      |
| Gaston-Lincoln   | 5,191  | 3,491  | 1,530       | 1,961  | 290      |           |           | 1,410      | 49        |            |
| Mecklenburg      | 4,696  | 3,087  | 1,083       | 2,004  | 3        | 2         | 1         | 1,606      |           | 1,557      |
| New River        | 1,723  | 1,267  | 523         | 744    | 8        | 3         | 5         | 448<br>533 | 26<br>66  | 422<br>467 |
| Piedmont         | 3,214  | 2,647  | 1,064       | 1,583  | 34       | 16        | 18        |            |           |            |
| Rutherford-Polk  | 1,157  | 938    | 331         | 607    | 17       | 12        | 5<br>20   | 202        | 5         | 197<br>676 |
| Smoky Mountain   | 3,201  | 2,467  | 931         | 1,536  | 37       | 17        | 20        | 697        | 21<br>5   | 352        |
| Trend            | 1,163  | 782    | 322         | 460    | 24       | 17        | 1         | 357        | 5         | 302        |
| N.C. Region      | ļ      |        |             |        |          |           |           | 1          |           |            |
| Alamance-Caswell | 1,900  | 1,412  | 506         | 906    | 3        | 1         | 2         | 485        | 31        | 454        |
| CenterPoint      | 4,304  | 2,007  | 941         | 1,066  | 71       | 18        | 53        | 2,226      | 151       | 2,075      |
| Crossroads       | 3,788  | 2,921  | 928         | 1,993  | 50       | 17        | 33        | 817        | 57        | 760        |
| Durham           | 1,116  | 714    | 325         | 389    | 43       | 24        | 19        | 359        | 7         | 352        |
| Guilford         | 5,784  | 3,574  | 1,211       | 2,363  | 248      | 214       | 34        | 1,962      | 70        | 1,892      |
| O-P-C            | 1,357  | 757    | 356         | 401    | 35       | 17        | 18        | 565        | 14        | 551        |
| Rockingham       | 2,056  | 1,510  | 1.053       | 457    | 32       | 27        | 5         | 514        | 46        | 468        |
| V-G-F-W          | 1,586  | 1,128  | 461         | 667    | 21       | 4         | 17        | 437        | 16        | 421        |
| S.C. Region      |        |        |             |        |          |           |           |            |           |            |
| Cumberland       | 3,328  | 1,964  | 600         | 1,364  | 53       | 45        | 8         | 1,311      | 79        | 1,232      |
| Davidson         | 2,149  | 1,425  | 559         | 866    | 17       | 8         | 9         | 707        | 86        | 621        |
| Johnston         | 1,317  | 1,112  | 375         | 737    | 12       | 9         | 3         | 193        | 20        | 173        |
| Lee-Harnett      | 1,463  | 1,108  | 351         | 757    | 19       | 5         | 14        | 336        | 23        | 313        |
| Randolph         | 1,837  | 1,425  | 681         | 744    | 13       | 6         | 7         | 399        | 16        | 383        |
| Sandhills        | 2,702  | 1,710  | <b>9</b> 92 | 718    | 25       | 13        | 12        | 967        | 144       | 823        |
| Southeastern Reg | 1,756  | 1,118  | 504         | 614    | 28       | 7         | 21        | 610        | 39        | 571        |
| Wake             | 3,295  | 1,579  | 706         | 873    | 138      | 101       | 37        | 1,578      | 128       | 1,450      |
| Eastern Region   |        |        |             |        |          |           |           |            |           |            |
| Albemarie        | 1,866  | 1,352  | 404         | 948    | 26       | 10        | 16        | 488        | 5         | 483        |
| Duplin Sampson   | 1,599  | 1,032  | 428         | 604    | 37       | 18        | 19        | 530        | 11        | 519        |
| Edgecombe-Nash   | 2,520  | 1,620  | 768         | 852    | 37       | 8         | 24        | 868        | 34        | 834        |
| Leniör           | 795    | 505    | 264         | 241    | 14       | 3         | 11        | 276        | 61        | 215        |
| Neuse            | 1,412  | 926    | 349         | 577    | 50       | 33        | 17        | 436        | 18        | 418        |
| Onslow           | 1,045  | 543    | 115         | 428    | 73       | 64        | 9         | 429        | 7         | 422        |
| Pitt             | 1,938  | 955    | 320         | 635    |          | 14        | 14        | 955        | 101       | 854        |
| River Stone      | 644    | 509    | 232         | 277    | 9        | 4         | 5         | 126        | 3         | 123        |
| Roanoke Chowan   | 1,240  | 875    | 414         | 461    | 28       | 24        | 4         | 337        | 3         | 334        |
| Southeastern     | 2,711  | 1,688  | 789         | 899    |          | 35        | 22        | 966        | 46        | 920        |
| Tideland         | 1,622  | 1,000  | 414         | 723    | 14       | 2         | 12        | 471        | 22        | 449        |
| Wayne            | 1,585  | 1,137  | 512         | 613    | 10       | 6         | 4         | 450        | 15        | 435        |
| Wilson-Greene    | 1,057  | 778    | 340         | 438    | 47       | 24        | 23        | 232        | 15        | 217        |
| STATE TOTAL      | 87,857 | 57,591 | 23,297      | 34,294 |          | 1,253     | 637       | 28,376     | 1,726     | 26,650     |

# **TABLE IV**

This table includes selected indicators for all terminations while the proceeding four tables focused on admissions. This table was included since diagnostic classification may change during the course of involvement and final diagnosis should be more accurate.

The relationships described for admission diagnosis remained true for termination diagnoses, although absolute numbers and percentages changed. Alcohol abuse accounted for 16.6 percent of terminations. Adjustment disorders accounted for 9.6 percent of terminations versus 9.4 percent of admissions while major depression disorders accounted for 13.9 percent versus 15.1 percent at admission. When comparing diagnosis at admission with diagnosis at termination, the admitting and terminating diagnosis were both at (0.9%) for mental retardation. The diagnosis of drug abuse showed some disparity between admission and termination with 15.6 percent and 16.5 percent respectively.

TABLE IV

TOTAL TERMINATIONS BY DIAGNOSTIC CATEGORY, RACE, SEX AND AGE

NORTH CAROLINA'S 39 AREA PROGRAMS BY REGION, FY2001-02

| İ   | TOTAL   |   |                                  | NORTH                            | SOUTH   |                             |
|---|---|---|----------------------------------|----------------------------------|---|-----------------------------|
|   | *PERCENT  | NUMBER  | WESTERN                          | CENTRAL                          | CENTRAL   | EASTERN                     |
|   |   |   |                                  |                                  |   | 10.100                      |
| TOTAL TERMINATIONS                                | 100.0%  | 86,607  | 22,777                           | 28,855                           | 16,812  | 18,163                      |
| DIAGNOSTIC CATEGORY **                            |   |   |                                  |                                  |   |                             |
| Mental Retardation                                | 0.9%  | 768   | 171                              | 301                              | 115   | 181                         |
| Attention Deficit                                 | 3.8%  | 3,273   | 747                              | 934                              | 637   | 955                         |
| Conduct   | 4.6%  | 3,996   | 1,068                            | 1,321                            | 715   | 892                         |
| Autism & Pervasive Dev.                           | 0.2%  | 166   | 32                               | 46                               | 50  | 38                          |
| Specific Development                              | 1.3%  | 1,110   | 312                              | 597                              | 67  | 134                         |
| Other Childhood Disorders                         | 2.5%<br>0.1%  | 2,204<br>90   | 252<br>20                        | 443<br>33                        | 841<br>20   | 668<br>17                   |
| Eating and Sleeping Disorders  Medication Induced | 0.1%<br>0.0%  | 90<br>6   | 1                                | 33                               | 20  | '2                          |
| Primary Degeneratie Dementia                      | 0.0%  | 263   | 29                               | 123                              | 37  | 74                          |
| Vascular Dementia                                 | 0.1%  | 113   | 28                               | 52                               | 12  | 21                          |
| Substance Abuse (Drugs)                           | 15.6%   | 13,536  | 3,445                            | 4,526                            | 3,174   | 2,391                       |
| Alcohol Abuse                                     | 16.1%   | 13,947  | 3,462                            | 3,973                            | 2,861   | 3,651                       |
| Alcohol Related Organic                           | 0.5%  | 403   | 119                              | 118                              | 131   | 35                          |
| Other Mental Disorders                            | 0.7%  | 636   | 120                              | 265                              | 104   | 147                         |
| Schizophrenic                                     | 1.7%  | 1,470   | 359                              | 480                              | 296   | 335                         |
| Schizophreniform                                  | 0.1%  | 53  | 11                               | 21                               | 10  | 11                          |
| Schizoaffective                                   | 0.8%  | 672   | 170                              | 219                              | 162   | 121<br>30                   |
| Delusional  | 0.2%  | 146   | 26<br>246                        | 63<br>377                        | 27<br>214   | 210                         |
| Other Psychotic                                   | 1.2%<br>2.9%  | 1,047<br>2,513  | 677                              | 848                              | 573   | 415                         |
| Bipolar<br>Major Depression                       | 13.9%   | 12,052  | 2,930                            | 4.381                            | 2,441   | 2.300                       |
| Dysthymia   | 2.2%  | 1,892   | 513                              | 534                              | 327   | 518                         |
| Anxiety   | 4.4%  | 3,834   | 1,042                            | 1,334                            | 673   | 785                         |
| Somatoform/Factitious                             | 0.1%  | 68  | 13                               | 20                               | 17  | 18                          |
| Dissociative                                      | 0.0%  | 32  | 10                               | 16                               | 3   | 3                           |
| Sexual  | 0.2%  | 154   | 26                               | 52                               | 44  | 32                          |
| Personality & Other Impulses                      | 1.2%  | 1,026   | 256                              | 383                              | 120   | 267                         |
| Adjustment  | 9.6%  | 8,282   | 2,150                            | 2,805                            | 1,712   | 1,615                       |
| Other Nonpsychotic/Mental                         | 0.6%  | 496   | 182                              | 147                              | 96  | 71                          |
| Other Problems Not Mental                         | 3.8%  | 3,307   | 695                              | 1,423                            | 615   | 574                         |
| No Mental Disorder                                | 0.2%  | 145   | 46<br>29                         | 82<br>140                        | 14  | 13<br>93                    |
| Diagnosis Deferred                                | 0.3%<br>10.0%   | 276<br>8,631  | 3,590                            | 2,795                            | 700   | 1,546                       |
| Unknown   | 10.0%   | 0,031   | 3,390                            | 2,733                            | 1 /00   | 1,545                       |
| RACE  |   |   |                                  |                                  |   |                             |
| White   | 62.5%   | 54,129  | 17,453                           | 16,835                           | 10,061  | 9,780                       |
| Black   | 32.4%   | 28.097  | 4,598                            | 10,479                           | 5,311   | 7,709                       |
| American Indian                                   | 1.1%  | 927   | 148                              | 108                              | 578   | 93                          |
| Asian/Pacific Islander                            | 0.3%  | 276   | 60                               | 119                              | 58  | 39                          |
| Other   | 2.8%  | 2,387   | 360                              | 902                              | 657   | 468                         |
| Unknown   | 0.9%  | 791   | 158                              | 412                              | 147   | 74                          |
| AGE GROUPS  | 1   |   |                                  |                                  |   |                             |
| 00-04   | 3.3%  | 2,862   | 753                              | 652                              | 790   | 667                         |
| 05-09   | 5.7%  | 4,950   | 1,175                            | 2,000                            | 834   | 941                         |
| 10-14   | 8.7%  | 7,522   | 2,013                            | 2,235                            | 1,419   | 1,855                       |
| 15-17   | 7.5%  | 6,477   | 1,838                            | 1,786                            | 1,476   | 1,377                       |
| 18-20   | 6.1%  | 5,307   | 1,451                            | 1,714                            | 1,092   | 1,050                       |
| 21-24   | 7.4%  | 6,445   | 1,686                            | 2,299                            | 1,228   | 1,232                       |
| 31  |   |   |                                  |                                  |   | 3,191<br>3,773              |
| H =   | 1   | ł   |                                  |                                  |   | 2,401                       |
| N .   |   |   |                                  |                                  |   | 877                         |
| D .   |   |   | 730                              | 1,380                            | 556   | 799                         |
| į   |   | ]   |                                  |                                  |   |                             |
| SEX   |   |   | 40.000                           | 46.000                           |   | 40.450                      |
| Male  |   |   |                                  |                                  |   | 10,450<br>7,708             |
| 12  |   |   |                                  |                                  | 7,403   | 7,700                       |
| 25-34<br>35-44<br>45-54<br>55-64<br>65 AND OVER   | 7.4%<br>19.1%<br>21.1%<br>12.3%<br>4.7%<br>4.0%<br>56.4%<br>43.6%<br>0.0% | 6,445<br>16,536<br>18,294<br>10,641<br>4,108<br>3,465<br>48,810<br>37,766<br>31 | 4,456<br>4,909<br>2,724<br>1,042 | 5,663<br>6,074<br>3,592<br>1,460 | 3,226<br>3,538<br>1,924<br>729<br>556<br>9,405<br>7,403 | 3,1<br>3,7<br>2,4<br>8<br>7 |

<sup>\*</sup>TOTALS DO NOT ALWAYS EQUAL 100 % DUE TO ROUNDING \*\*DERIVED FROM DSM-IV CODING